

Please update Spec Box info with Material, Size and NOTES details from approved APO Dieline in FINAL Configuration Folder.



Product Name

Lorem ipsum dolor sit

Color sit amet consectetur







Product Name

Lorem isum enim est enim ad minim veniam

Ut enim adminim

for removing blemishes

Duisaute olor sinto

aperiam eaque ipsa, quaente

Ut enim ad minim veniam quis nostrud exercitation

Excepteur sint occaecat cupid atat non proident, sunt in culp



BETTER

If you're not satisfied with your purchase, we want to hear about it. We will replace it or refund you, because we are here to make it better — guaranteed.















ccaecat cupidatat est

GG_Product Name_Packaging Type Manufacturer: XXXXXXX Product Art: OXO Designer: XXXXXXX ADD Created: XXXXXXX GRAYSCALE

Created: XXXXXXX GRAYSCALE
Modified: XXXXXXX IMAGE OF
PRODUCT
HERE

Material, Size, Ink Specs

Configuration: Card Size: XX.XX in x XX.XX in

Print Materials: Thin Card –

Clay coated newsback
– 0.9 mm thick

Sided: 2

Colors: 5/5

Varnish/Lam: Matte PP Lamination



PMS 485C

Н

Material without Printing:

Glue – Industrial Strength

Twist Ties –

- 1 flat clear twist tie [upper die holes]
- 1 flat black twist tie [lower die hole]

Clear Plastic Blade Cover – PP

Additional Specs

Testing Required: Bar Code

Testing N/A: Accelerated Age

Notes

- The OXO logo should be printed correctly without distortion.
- The above line art should be used for the Inner/Master Carton stickers.
- Each finished package must hang straight. You may adjust the placement of the hanging hole (from left to right only) if necessary.
- Do not print the purple line around the UPC bar code.
- All inner cartons must have a top sheet of corrugated placed inside so that the packaging is not damaged when the cartons are sliced open with a knife.
- A top sheet of corrugated cardboard is not needed if the inner carton is designed so that the products and packaging cannot be damaged when slicing open the carton with a knife.
- The purple points are for Dennison for artwork reference, there is no die cut hole when making the card.
- No PVC.

Please update Spec Box info with Material, Size and NOTES details from approved APO Dieline in FINAL Configuration Folder.







Product Name

Lorem isum enim est enim ad minim veniam

Ut enim adminim for removing blemishes

Duisaute olor sinto ccaecat cupidatat est

Dolor sit amet totam remaeso

Lorem ipsum dolor sit ameter cons ectetuer veritatis et quas

OXO is committing 1% of

our annual sales to support environmental nonprofits.

Duis aute irure dolor in repre henderit in voluptate



If you're not satisfied with your purchase, we want to hear about it. We'll replace it or refund you, because we're here to make it better — guaranteed.











GG_Product Name_Packaging Type



Manufacturer: XXXXXXX XXXXXXX OXO Designer:

Created: XXXXXXX Modified: XXXXXXX OXO Production: XXXXXXX Product Art:

ADD GRAYSCALE IMAGE OF PRODUCT HERE

Modified: XXXXXXX

Material, Size, Ink Specs

Configuration: Card

Print Materials: Thin Card –

Clay coated newsback - 0.9 mm thick

Sided: 2

Colors:

Varnish/Lam: Matte PP Lamination

5/5

Size: FLAT: XX.XX in x XX.XX in Size: TRIM: XX.XX in x XX.XX in



PMS 485C

Pantone Inks:

Material without Printing:

Glue - Industrial Strength

Twist Ties -

- 1 flat clear twist tie [upper die holes]
- 1 flat black twist tie [lower die hole]

Clear Plastic Blade Cover – PP

Additional Specs

Testing Required: Bar Code

Drop Testing

Accelerated Age Tear Testing N/A:

- The OXO logo should be printed correctly without distortion.
- The above line art should be used for the Inner/Master Carton stickers.
- Each finished package must hang straight. You may adjust the placement of the hanging hole (from left to right only) if necessary.
- Do not print the purple line around the UPC bar code.
- All inner cartons must have a top sheet of corrugated placed inside so that the packaging is not damaged when the cartons are sliced open with a knife.
- A top sheet of corrugated cardboard is not needed if the inner carton is designed so that the products and packaging cannot be damaged when slicing open the carton with a knife.
- The purple points are for Dennison for artwork reference, there is no die cut hole when making the card.
- No PVC.

Please update Spec Box info with Material, Size and NOTES details from approved APO Dieline in FINAL Configuration Folder.



dolor sit

Color sit amet consectetur







Ibsum Lorem

Ibsum lorem est consectetur adipiscing

Nemo enim tatem

beatae vitae dicta

Ut enim ad minima

quis nostrum exercita beatae vitae dicta

Lorem ipsum dolor sit ameterente cons ectetuer veritatis et quasi



If you're not satisfied with your purchase we want to hear about it. We'll replace it or refund you, because we're here to make it

better — guaranteed.



STAINLESS STEEL



OXO is committing 1% of



our annual sales to support environmental nonprofits. Product Name - 00000000

OXO and GOOD GRIPS are registered trademarks of Helen of Troy Limited.

GG_Product Name_Packaging Type



Manufacturer:

XXXXXXX

Product Art:

OXO Designer:

XXXXXXX

XXXXXX Created:

XXXXXXX

OXO Production: XXXXXXX

Modified:

Modified:

XXXXXXX

ADD GRAYSCALE IMAGE OF PRODUCT HERE

Material, Size, Ink Specs

Configuration:

Hanging Card

Print Materials: **Bright White** Solid Bleach Sulfate

0.45 mm Thick

Sided:

Colors:

Varnish/Lam: XXXXXX Size: XX.XX in x XX.XX in







Pantone Inks:



Material without Printing:

Glue - Industrial Strength

Additional Specs

Testing Required: Bar Code

Drop Testing

Testing N/A:

Accelerated Age Tear

Notes:

- The OXO logo should be printed correctly without distortion.
- The above product art should be used for the Inner/Master Carton stickers.
- Each finished package must hang straight. You may adjust the placement of the hanging hole (from left to right only) if necessary.
- All inner cartons must have a top sheet of corrugated placed inside so that the packaging is not damaged when the cartons are sliced open with a knife.
- A top sheet of corrugated cardboard is not needed if the inner carton is designed so that the products and packaging cannot be damaged when slicing open the carton with a knife.
- Packaging needs to stand upright without leaning forward or backward
- No PVC.

Please update Spec Box info with Material, Size and NOTES details from approved APO Dieline in FINAL Configuration Folder.







Alternate back on white